

Mod. 15416 B

COPOLYMER POLYPROPYLENE WATERPROOF CASE

The longest rifle cases on the market. Suitable to accommodate the most used long range rifles and accessories. Wider latches with safe button. Double automatic purge valves. Self-oiling free running wheels.



METRIC MM-KG-C°

BASE

		OTHER DATA	EXTERNAL DIMENSIONS		INTERNAL DIMENSIONS		
11.30 Kg 13.40 Kg 93 lt .60 Kg/max 3 / max +90	1	WEIGHT EMPTY WEIGHT WITH FOAM WEIGHT WITH CUSTOM FOAM VOLUME BUOYANCY OPERATING TEMPERATURE	1629 mm 456 mm 183 mm	L LENGTH W WIDTH D DEPTH	1540 mm 377 mm 160 mm 42 mm 118 mm	L LENGTH W WIDTH D DEPTH LID BASE	
							IMPERIAL IN-LBS-F°
		OTHER DATA	EXTERNAL DIMENSIONS		INTERNAL DIMENSIONS		
24.91 lbs 29.54 lbs lbs		WEIGHT EMPTY WEIGHT WITH FOAM WEIGHT WITH CUSTOM FOAM	64 1/8 in 17 15/16 in 7 3/16 in	L LENGTH W WIDTH D DEPTH	60 5/8 in 14 13/16 in 6 5/16 in 1 5/8 in	l length W Width D depth Lid	
		WEIGHT WITH FOAM WEIGHT WITH CUSTOM	17 15/16 in	W WIDTH	14 13/16 in	W WIDTH	

VOLUME

BUOYANCY

OPERATING

TEMPERATURE

EXPLORER CASES BY GT LINE SRL VIA DEL LAVORO, 9 LOC. CRESPELLANO - 40053 VALSAMOGGIA(BOLOGNA)-ITALY - TELEPHONE +39/051/65041 - FAX +39/051/734925

4 5/8 in

WWW.EXPLORERCASES.COM

°F min -27.4 / max

135.80 lbs/max

24.54 gal

+194-




FEATURES



CORROSION PROOF METAL HINGES WITH LID STAY FEATURES



INTERNAL SLOTS Internal slots for optional panel mounting brackets or panel mounting rings





JAM FREE LATCHES WITH EASY-OPENING MECHANISM

(from model 3818 on)





SEALING O-RING

(Art. NEOSEAL + nr. art.)



AUTOMATIC PURGE VALVE Automatic pressure release valve.



PVC WATERPROOF I. D. REMOVABLE LABEL (Art. LABELCOVER + nr. art.)



TWO MAN LIFT SIDE HANDLES





SELF OILING FREE RUNNING WHEELS



ACCESSORIES

PROTECTIVE SLEEVE FOR PC 13'-13.3'""

TOP ENVELOPE 13

Protective padded notebook sleeve. Protects the laptop from shocks and scratches.



FOAM SET FOR CASE 15416 FOAM.15416

FOAM SET FOR CASE 15416

CONVOLUTED FOAM SET

LIDFOAM.154

LIDFOAM.154 - CONVOLUTED FOAM SET FOR CASE 15416 (includes 2 pcs.)





HANDY BACKPACK CARRYING SYSTEM FOR GUNBAGS

ВАСКРАСК КІТ

Practical and easy to fix kit to turn the gunbags into backpacks to safely transport your rifles. The detachable, padded shoulder straps, clip right in the back of the gunbags D-rings. The ergonomic straps are designed to be fully adjustable in length. It works on GUNBAG 94, GUNBAG 114, GUNBAG 135 and GUNBAG 108. Color: black.





PATENTED HEAVY DUTY BRASS PADLOCK WITH KEYS

EXPL PADLOCK

Designed to fit snug to the Explorer case mould so as not to swing out



PATENTED COMBINATION PADLOCK

EXPL COMBILOCK

Designed to fit snug to the Explorer case mould so as not to swing out

BLIND INSERT

KIT.EXPL.PLUGS

Kit includes 6 pcs.

Whenever the slots are not going to be used for in-built applications, those can be closed by blind inserts that will give the case a better and finished interior look.



TSA APPROVED PADLOCK WITH COMBINATION

EXPL TSA.DIGILOCK

The new TSA approved padlocks allow tsa® airport security agents to open the case withoutdestrying the lock. TSA agents are trained to recognize the travel sentry certified logo and should not break the case lock.





METAL BRACKET

KIT SUPP.EXPL.

Kit includes 6 pcs.

All models (except for the 1908) are internally equipped with specific slots, to apply the optional metal or plastic brackets which provide either a panel's fixing points or a fix mechanical joint inside the case, to build more complete applications. This way the case becomes a real workstation, rather than just a carrying container. As the panel mounting brackets are mechanically fixed by screws, they can be removed when necessary. The dedicated screws allow the case to remain waterproof, and help the panels to be removed easily and quickly



PLASTIC BRACKET KIT SUPP.PLAST.

Kit includes 6 pcs.

All models (except for the 1908) are internally equipped with specific slots, to apply the optional metal or plastic brackets which provide either a panel's fixing points or a fix mechanical joint inside the case, to build more complete applications. This way the case becomes a real workstation, rather than just a carrying container. As the panel mounting brackets are mechanically fixed by screws, they can be removed when necessary. The dedicated screws allow the case to remain waterproof, and help the panels to be removed easily and quickly



SPARE PARTS